


# ECOUSTIC® PANEL PRINT RAW

**unika vaev**  
—  
INSTYLE


Hear yourself think®




# ECOUSTIC® PATTERN PRINT RAW




BRONZE ON TAUPE



MIST ON LIGHT GREY




PUTTY ON CHARCOAL




WHITE ON LIGHT GREY




WHITE ON NATURAL




OCHRE ON NATURAL



IVORY ON OYSTER



ASH ON PEWTER



FULL PANEL ARTWORK

Patterns shown are not to scale  
Product may vary in color due to the nature of the media  
Please refer to website for current color range

**ecoustic®** global leaders  
by **INSTYLE** in acoustic  
products



# ECOUSTIC® PANEL PRINT RAW



**CONTENT** 100% PET (up to 65% recycled PET)

**DIMENSIONS**

Panel 47.64" x 107.1" (1210mm x 2720mm)  
Print 47.24" x 106.3" (1200mm x 2700mm)  
Screen Panel 95.3" x 47.64" (2420mm x 1210mm)  
Screen Print 94.5" x 47.24" (2400mm x 1200mm)

**THICKNESS**

0.31" (8mm)  
0.53" (13.5mm) (3 box minimum)  
0.98" (25mm) (3 box minimum)  
1.97" (50mm) (5 box minimum)  
0.47" (12mm) \* Custom Screen


**PATTERN REPEAT** 47.24" x 106.3" (1200mm x 2700mm)  
Raw is railroaded for Ecoustic® screen

**FLAMMABILITY**

ASTM E84 CLASS A  
AS/NZS 1530.3  
AS/ISO 9705  
GB 8624

**APPLICATION** Screen, Wall & Ceiling Panel

**ACOUSTIC** NRC: 0.30 - 1.00 Depending on panel thickness.



**Building Rating Systems:** Ecoustic® Raw will contribute the following points for Green Star, LEED + WELL building standards.

| Criteria                               | Green Star | LEED | WELL |
|--|------------|------|------|
| Recycled Content                       | ✓          | ✓    | N/A  |
| Low-VOC                                | ✓          | ✓    | ✓    |
| EPD                                    | ✓          | ✓    | N/A  |
| 3rd Party Greentag Level A             | ✓          | ✓    | ✓    |
| Toxic Material Reduction               | N/A        | N/A  | ✓    |
| Sound Reducing Surfaces (.98" & 1.97") | N/A        | N/A  | ✓    |

**Please Note:** Results from performance tests are guidelines only. On site trimming to square each individual panel is essential. This is a hand printed product. Variation in thickness, fiber mix and color as well as flecks and other slight surface blemishes are an inherent feature of this product and are unavoidable. Variation from batch to batch may occur.

**Designed for the Environment:**

- California 01350 Emissions Compliant
- Red List Compliant
- Declare Compliant
- Prop 65 Compliant
- Low VOC
- Recycled Content
- Rapidly Renewable Content
- Third Party Certified
- mindful MATERIALS
- Greentag Level A Certified
- Health Product Declaration®
- Environmental Product Declaration®
- No Conflict Minerals
- No FR Additives

