


# ECOUSTIC® PANEL PRINT AXIS

unika vaev  
INSTYLE


Hear yourself think®




## ECOUSTIC® PATTERN PRINT AXIS



BLUSH ON INDIGO




GHOST ON CHARCOAL



NAVY ON LIGHT GREY







PUTTY ON NATURAL



WHITE ON PEWTER

## ECOUSTIC® AXIS FULL PANEL PATTERN




Patterns shown are not to scale  
Product may vary in color due to the nature of the media  
Please refer to website for current color range

**ecoustic®** global leaders  
by INSTYLE in acoustic  
products



# ECOUSTIC® PANEL PRINT AXIS



**CONTENT** 100% PET (up to 65% recycled PET)

## DIMENSIONS

Panel 47.64" x 107.1" (1210mm x 2720mm)  
 Print 47.24" x 106.3" (1200mm x 2700mm)  
 Screen Panel 95.3" x 47.64" (2420mm x 1210mm)  
 Screen Print 94.5" x 47.24" (2400mm x 1200mm)

## THICKNESS

0.31" (8mm)  
 0.53" (13.5mm) (3 box minimum)  
 0.98" (25mm) (3 box minimum)  
 1.97" (50mm) (5 box minimum)  
 0.47" (12mm) \* Custom Screen


**PATTERN REPEAT** 47.24" x 106.3" (1200mm x 2700mm)  
 Axis is railroaded for Ecoustic® screen

## FLAMMABILITY

ASTM E84 CLASS A  
 AS/NZS 1530.3  
 AS/ISO 9705  
 GB 8624

**APPLICATION** Screen, Wall & Ceiling Panel

**ACOUSTIC** NRC: 0.30 - 1.00 Depending on panel thickness.



**Building Rating Systems:** Axis will contribute the following points for Green Star, LEED + WELL building standards.

Criteria	Green Star	LEED	WELL
<b>Recycled Content</b>	✓	✓	N/A
<b>Low-VOC</b>	✓	✓	✓
<b>EPD</b>	✓	✓	N/A
<b>3rd Party Greentag Level A</b>	✓	✓	✓
<b>Toxic Material Reduction</b>	N/A	N/A	✓
<b>Sound Reducing Surfaces</b> (.98" & 1.97")	N/A	N/A	✓

**Please Note:** Results from performance tests are guidelines only. On site trimming to square each individual panel is essential. This is a hand printed product. Variation in thickness, fiber mix, and color, as well as flecks and other slight surface blemishes are an inherent feature of this product and unavoidable. Variation from batch to batch may occur.

## Designed for the Environment:

- California 01350 Emissions Compliant
- Red List Compliant
- Declare Compliant
- Prop 65 Compliant
- Low VOC
- Recycled Content
- Rapidly Renewable Content
- Third Party Certified
- mindful MATERIALS
- Greentag Level A Certified
- Health Product Declaration®
- Environmental Product Declaration®
- No Conflict Minerals
- No FR Additives



UNIKAVAEV.COM  
 800-237-1625

**ecoustic®** global leaders  
 by INSTYLE in acoustic  
 products