

ECOUSTIC® PINCH



unika vaev
INSTYLE

Hear yourself think®

ECOUSTIC® COLORS



AQUA



AUBERGINE



BALTIC



BERRY



CAMEO



CAPER



CHARCOAL



COBALT



CREAM



DOVE



FIELD



FOSSIL



FRESCO



GREEN



INDIGO



JET



LEMON



LIGHT GREY



LIME



NATURAL



NAUTICAL



OATMEAL



OPAL



ORANGE



OYSTER



PAPRIKA



PEWTER



QUARTZ



RED



SKY



SPRAY



TAUPE



WHITE




YELLOW

Patterns shown are not to scale
Product may vary in color due to the nature of the media
Please refer to website for current color range

ecoustic® global leaders
by **INSTYLE** in acoustic
products

ECOUSTIC® PINCH



DESCRIPTION

ecoustic® Pinch is a striking acoustic tile offering excellent sound absorption and diffusion. Inspired by geometric abstraction, the crisp topography of Pinch creates form and shadow depths evoking the sculptural influences of Expressionism, Cubism and the Bauhaus.

Lightweight, Easy to Handle + Install: Position the 4-way clips using the template provided, then simply press the tile into place. The design can be easily extended at a later stage.

Designed for the Environment: ecoustic Pinch tile is produced from up to 23% recycled Pet. Easy to disassemble and separate into the appropriate recycling systems, ecoustic® Pinch tile can be recycled.

DESIGNER

Adam Goodrum & Patryk Koca

- Mindful MATERIALS
- Cal 01350 Compliant
- Low-VOC
- Declare CDHP Emissions Compliant
- HHI Compliant
- Global Greentag
- HPD

CONTENT

100% PET (>23% recycled content)

THICKNESS

2 3/4" (70mm)

DIMENSIONS

15 3/16" x 17 11/16" (385mm x 450mm)

FLAMMABILITY

ASTM E84
AS/NZS 1530.3
GB8624
ISO 5660-1

Class A (Class B with Infill)

Building Rating Systems

Pinch will contribute the following points for Green Star, LEED and WELL building standards.


Criteria	Green Star	LEED	WELL
Recycled content	yes	yes	no
Low-VOC	yes	yes	yes
Recycling Program	yes	yes	no
EPD	yes	yes	no
3rd Party Greentag Level A Certification	yes	yes	yes
Toxic Material Reduction	no	no	yes
Sound Reducing Surfaces	no	no	yes

APPLICATION

Wall, Ceiling

ACOUSTIC

NRC - 0.60 | 0.80 (with infill)



Declare.



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100




Patterns shown are not to scale
Product may vary in color due to the nature of the media
Please refer to website for current color range


ecoustic® global leaders
by INSTYLE in acoustic
products

ECOUSTIC® PINCH COMPONENTS

Screws (not included) Flat head c/sunk 1" [2 per 4-way clip]






Clip layout example - 62.2" x 62.2"



4 way clip - Clear ABS

8 + 1 spare 4 way clips are supplied in each box
Single clip template is also included in each box



Complete
Use a complete clip for each junction of 4 tiles

Half
Break clip in half for each straight edge 2 tile joins

Quarter
Break clip into quarters for each single tile corner