# **AIR-X TILE**



# **AIR-X TILE COLORS**

## STANDARD OPTIONS

### **Air Series**




### Soundfelt



Soundfelt colors are also available in several embossed relief patterns called, Stop, Block, and Dot.

- Stop: A horzontal linear pattern
- · Block: A vertical linear pattern
- Dot: A circular pattern

## **Focus Mélange**



All non-standard color options are only available in packs of 10 Lead times are contingent on color/finish availability Product may vary in color due to the nature of the media Please refer to website for current color range + larger sample swatch



# **AIR-X TILE COLORS**

## **NON-STANDARD OPTIONS**

### **Air Series**



## Focus Mélange




All non-standard color options are only available in packs of 10 Lead times are contingent on color/finish availability Product may vary in color due to the nature of the media Please refer to website for current color range + larger sample swatch



# **AIR-X TILE COLORS**

## **NON-STANDARD OPTIONS**

## Focus Mélange continued





68248


### **Focus**





All non-standard color options are only available in packs of 10 Lead times are contingent on color/finish availability Product may vary in color due to the nature of the media Please refer to website for current color range + larger sample swatch



# **AIR RAIL DIMENSIONS**










## **AIR-X TILE**





**DESIGNER** 

Stefan Borselius

CONTENT

Core: 100% Molded Polyester Felt Cover: 100% Polyester Felt (Air Series)

100% NZ Wool (Focus & Mélange)

**DIMENSIONS** 

18.1" x 18.1" (460mm x 460mm)

THICKNESS


.6" (15mm)

**FLAMMABILITY** 

Please inquire with Unika Vaev customer service

**ACOUSTIC** 

NRC: 0.35 - 0.50 depending on formation



**APPLICATION** 

Wall, Ceiling

DESCRIPTION

With Air-X, Stefan Borselius enters a world of symbols, typography, and letters. Just like the letters of the alphabet, the ceiling-suspended Air-X allows you to create an infinite number of configurations.







**Installation:** Airbloom may be mounted to the ceiling or wall with a straight rail in two lengths, 59" or 78.75. Those rails can be joined or cut on site. Modules hook into one another using small plastic clips creating screen partitions.

Accessories Provided: Drop ceiling brackets to mount Air-X directly to a drop ceiling. A wire kit which includes (2) 118" wires, (2) wire locks and hardware to hang the rail a distance from the ceiling. A roller is also available allowing the Air-X modules roll along the rail, used in lieu of attachment clips.

**General Care:** To preserve the fabric color and appearance of the fabric, Air series modules should be vacuumed regularly with a soft nozzle.

### **Polyester Stain Removal:**

- Use colorless towel or a washcloth to absorb as much as possible of still-moist stain.
  - Dried stains should be vacuumed.
- Wet the stain sparingly with a white pure cotton cloth, warm water and possibly a little pH-neutral cleaner.
- Dab the area with a dry cloth or colorless paper towel to absorb the moisture and stain.
- · Repeat this process until the stain is gone.
- On the final repetition, use only clean water with no detergent added.
- Finish by dabbing up moisture with a dry cloth or paper towel.

#### **Wool Stain Removal:**

· Dab or wipe gently with a damp cloth

#### **Designed for the Environment:**

- California 01350 Emissions Compliant
- · Rapidly Renewable Content
- Recycled Content
- Environmental Product Declaration®
- Health Product Declaration®
- · Declare Compliant
- Low VOC
- No FR Additives
- · No Conflict Minerals
- · Red List Compliant



unikavaev.com 800-237-1625

# **AIR RAIL DIMENSIONS**

