HOLLY unika vaev abstracta Hear yourself think®

HOLLY COLOR







21 TERRACOTTA




22 LIGHT GREY






HOLLY ORIENTATIONS, LIGHTING, & DIMENSIONS



Holly absorber - horizontal

- 12 sound-absorbing globes (Ø 9.8" each)
- Assembled unit 41.4" x 23" x 21.25"



Holly absorber - vertical

- 10 sound-absorbing globes (Ø 9.8" each)
- Assembled unit 21.25" x 40" x 23"



Holly absorber + lighting - horizontal

- 4 LED light globes + 8 sound-absorbing globes (Ø 9.8" ea)
- Assembled unit 41.4" x 23" x 21.25"



Holly absorber + lighting - vertical

- 4 LED light globes + 6 sound-absorbing globes (Ø 9.8" ea)
- Assembled unit 21.25" x 40" x 23"



HOLLY



DESIGNERS

Runa Klock & Hallgeir Homstvedt

CONTENT

Absorbers 100% Soundfelt REC (recycled fabric)
Covering 100% Polyester

100% Opal glass

DIMENSIONS

Light Globe

Formations vary depending on orientation, see previous page for full details. Each globe has a diameter of

9.8"

WEIGHTS

Vertical with LED light 24.7 lbs
Vertical no light 21.2 lbs
Horizontal with LED light 27.8 lbs
Horizontal no light 24 lbs

FLAMMABILITY Please inquire

ACOUSTIC NRC: 0.30 - 0.45

Depending on orientation and location. Please refer to graph on

following page.

APPLICATION Ceiling

DESCRIPTION Holly acoustic lighting is sculptural

and enigmatic. It plays with the contrasts between light, reflection, and shadows. Holly is available in two versions: a vertical one suitable for lobbies & other high-ceiling spaces, as well as in corners for increased acoustic effect; and a horizontal one that can be suspended over large tables in restaurants, bars, and

workspaces.

Mounting: A simple bracket is mounted to the ceiling with a 19.7 foot wire and same sized electric cable included. The acoustic lamp has a metal stand that is painted black. The bracket with hardware, wire, and cable are all included. More information can be found on the installation + care document on unikayaey.com.

Lighting: Lamps included: E27, 500 Lumen, Kelvin 2700. Luminaire is dimmable. Please note that the DALI light control is not included and must be purchased separately from others.

CARE:

- Use colorless towel or a washcloth to absorb as much as possible of still-moist stain. Dried stains should be vacuumed.
- Wet the stain sparingly with a white pure cotton cloth, warm water and possibly a little pH-neutral cleaner.
- Dab the area with a dry cloth or colorless paper towel to absorb the moisture and stain.
- Repeat this process until the stain is gone.
- On the final repetition, use only clean water with no detergent added.
- Finish by dabbing up moisture with a dry cloth or paper towel.

Stain Removal: Dab or wipe gently with a moist cloth.


Environment:

- Rapidly Renewable Content
- Recycled Content
- No FR Additives
- No Conflict Minerals
- Red List Compliant





HOLLY ACOUSTIC



1/3 Octave band frequency (Hz)	Vertical with light	Horizontal with light	Horizontal without light
100	-0.02	-0.03	0.11
125	0.08	0.09	0.12
160	0.15	0.21	0.23
200	0.15	0.28	0.32
250	0.21	0.28	0.36
315	0.26	0.36	0.48
400	0.36	0.41	0.58
500	0.34	0.44	0.55
630	0.34	0.43	0.56
800	0.27	0.36	0.43
1000	0.27	0.36	0.44
1250	0.28	0.37	0.51
1600	0.28	0.37	0.46
2000	0.33	0.41	0.54
2500	0.31	0.39	0.53
3150	0.31	0.42	0.50
4000	0.33	0.42	0.48
5000	0.32	0.40	0.41
NRC	0.30	0.35	0.45

