











/96 SALT LAKE







CONTENT

92% Polyester, 5% Cotton, 3% Latex

WIDTH / WEIGHT

54" / 17.6 Oz Linear Yard

REPEAT

None

FINISH

None

DURABILITY

A 100,000 Martindale

PERFORMANCE

★ ★
Meets all ACT standards

SEAM SLIPPAGE

ASTM D4034-92

126.8 lbs Warp, 122.6 lbs Fill

PILLING

ASTM D3511

Class 5.0

LIGHTFASTNESS

ASTM D3511

Class 4.5 (40 Hours)

FLAMMABILITY

ASTM E84 Unadhered Cal 117E.

AS/NZS 1530.3 AS/NZS 3837

Class 2

APPLICATION

ISO 5660.1

Upholstery

CLEANING CODE

WS - Spot clean with a mild solvent, an upholstery shampoo or the foam from a mild detergent. When using a solvent or dry cleaning product, follow the instructions carefully and clean only in a well ventilated room. Avoid any product that contains

Tetrachloride or other toxic materials. With either method, pretest a small

area before proceeding.

INTERLINER: It is important to use an inter liner between the ATELIER velvet and the substrate. Failure to do so will void the product warranty.

SHADING / NAP: The pile on velvet may flatten during upholstering or use. This is a normal characteristic of velvet and is not a fabric fault.

A shading appearance during use should be expected, especially in areas of high use such as arms, seat fronts and back cushions.

When upholstering it is important to pay attention to the nap direction. Velvet must be upholstered or sewn with the nap running in the same direction on panels / furniture.

Failure to do this will result in adjoining panels / furniture showing a contrasting light and dark shading effect.

GREEN STAR + LEED: ATELIER can be used on white furniture certified by AFRDI, GECA, Ecospecifier (Level B + C) and ECNZ. The Green Star Rating Tool states "Where at least 90% of an item's mass is certified to a GBCA recognized standard, the item can be entered as a certified product at Level A, B or C" Therefore, any fabric can be used as fabrics are almost always under 10% by weight of a furniture item.

WELL: ATELIER can contribute to the following WELL criteria: Toxic Material Reduction: ATELIER is free of PFCs, flame retardants, phthalates + urea formaldehyde.

DESIGNED FOR THE ENVIRONMENT:

- **PVC Free**
- Prop 65 Compliant
- No Conflict Minerals
- Red List Compliant
- California 01350 Compliant









