
# **HERRINGBONE 712**




## **HERRINGBONE 712**







### **HERRINGBONE 712**



CONTENT

98% Wool, 2% Nylon

WIDTH / WEIGHT

54" / 11.8 Oz Linear Yard

**REPEAT** 

(w) 0.87" x (h) 0.43"

**FINISH** 

None

**DURABILITY** 

A 60,000 Martindale 35,000 Double Rubs

**PERFORMANCE** 

40 \* \*

Meets all ACT standards

**SEAM SLIPPAGE** 

ASTM D4034-92

39 lbs Warp, 43.5 lbs Fill

**PILLING** 

ASTM D3511

Class 3.5

LIGHTFASTNESS

ASTM D3511

Class 40 (40 Hours)

**FLAMMABILITY** 

CAL 117E AS/NZS 1530.3 + 3837 ISO 5660.1 IMOA.652(16)

IMO2010 FTP Code Pt8

**APPLICATION** 

Upholstery, Screens, Wall Panels

**CLEANING CODE** 

S - Spot clean using a mild water-free solvent, or dry cleaning product. Clean only in a well ventilated room and avoid any product containing Carbon Tetrachloride or other toxic materials.

#### **GREEN STAR + LEED**

- Herringbone can be used on white furniture certified by AFRDI, GECA, Ecospecifier (Level B + C) and ECNZ.
- The Green Star Rating Tool states "Where at least 90% of an item's mass is certified to a GBCA recognized standard, the item can be entered as a certified product at Level A, B or C". Therefore, any fabric can be used as fabrics are almost always under 10% by weight of a furniture item.
- 98% rapidly renewable content contributes to LEED MR Credit 6 Rapidly Renewable Materials.

#### **LEED**

HERRINGBONE can contribute points to the following LEED criteria: Bio-Based + Rapidly-Renewable Content (98%), Low-VOC + Extended Producer Responsibility Recycling Program

#### WELL

HERRINGBONE can contribute to the following WELL criteria: Low VOC / VOC Reduction + Toxic Material Reduction: HERRINGBONE is free of PFCs, flame retardants, phthalates and urea formaldehyde

#### **ENVIRONMENT**

- · Rapidly Renewable Content
- PVC Free
- Prop 65 Compliant
- No FR Additives
- · No Conflict Minerals
- · Red List Compliant
- Low VOC
- HPD

















