
# **ECOUSTIC® PANEL PRINT LOOP**



# **ECOUSTIC® PRINT LOOP PATTERN**




MINT ON CAPER



MINT ON OPAL



OCHRE ON NATURAL



PETROL ON CAMEO



**RUST ON OYSTER** 



WHITE ON LIGHT GREY

# **LOOP FULL PANEL PATTERN**



Ecoustic® Loop is an acoustic panel print designed by Tom Skeehan. This felt faced, hand silk-screen print, is designed to reduce and control reverberated noise in building interiors such as open plan workspaces, bars, restaurants, theatres, convention centers and public spaces. The Loop print is available in six colorways.



## **ECOUSTIC® PANEL PRINT LOOP**



### CONTENT

100% PET (up to 65% recycled content)

#### **DIMENSIONS**

Panel Print Screen Panel Screen Print 47.64" x 107.1" (1210mm x 2720mm) 47.24" x 106.3" (1200mm x 2700mm) 95.3" x 47.64" (2420mm x 1210mm) 94.5" x 47.24" (2400mm x 1200mm)

#### **THICKNESS**

0.31" (8mm) 0.53" (13.5mm) (3 box minimum) 0.98" (25mm) (3 box minimum) 1.97" (50mm) (5 box minimum) 0.47" (12mm) \* Custom Screen

### PATTERN REPEAT

47.24" x 106.3" (1200mm x 2700mm) Loop is railroaded for Ecoustic® screen

#### **FLAMMABILITY**


ASTM E84 AS/NZS 1530.3 AS/ISO 9705 GB 8624 Class A

#### **APPLICATION**

ACOUSTIC

Screen, Wall & Ceiling Panel

NRC: 0.30 - 1.00 Depending on panel thickness (see graph on following page)



**Building Rating Systems:** Ecoustic® Loop will contribute the following points for Green Star, LEED + WELL building standards.

Criteria	Green Star	LEED	WELL
Recycled Content	√	√	N/A
Low VOC	√	√	√
EPD	√	√	N/A
3rd Party Greentag Level A	√	√	√
Toxic Material Reduction	N/A	N/A	√
Sound Reducing Surfaces (.98" + 1.97")	N/A	N/A	<b>√</b>

**Please Note:** Results from performance tests are guidelines only. On site trimming to square each individual panel is essential. This is a hand printed product. Variation in thickness, fiber mix and color as well as flecks and other slight surface blemishes are an inherent feature of this product and are unavoidable. Variation from batch to batch may occur.

### **Designed for the Environment:**

- California 01350 Emissions Compliant
- Red List Compliant
- Declare Compliant
- · Prop 65 Compliant
- Low VOC
- Recycled Content
- Rapidly Renewable Content
- Third Party Certified
- mindful MATERIALS
- · Greentag Level A Certified
- Health Product Declaration®
- Environmental Product Declaration®
- No Conflict Minerals
- No FR Additives

















