



INSTYLE

Product may vary in color due to the nature of the media Please refer to website for current color range





46 City



CONTENT 85% PVC, 15% Polyester

WIDTH / WEIGHT 54" / 19.35 Oz Linear Yard

REPEAT All over

FINISH Resilience^{SR}

DURABILITY A 250,000 Double Rubs

SEAM SLIPPAGE

ASTM D4034-92 58 lbs Warp, 41 lbs Fill

PILLING

ASTM D3511 N/A

LIGHTFASTNESS

ASTM D3511 Class 4.5 (1000 hours)

FLAMMABILITY

ASTM E84 Unadhered AS/NZS 1530.3 AS/NZS 3837 Cal Bulletin 117E IMO A.652 (16) 8.2 + 8.3 NFPA 260, UFAC

APPLICATION Indoor/Outdoor Upholstery,

Multi-Purpose, Screen, Vertical

Surfaces

Class 1

CLEANING CODE Resilence^{SR} - Bleach Cleanable

1:10 Diluted

PERFORMANCE

- · Permanent Stain Protection
- Mold + Antimicrobial Protection: Engineered to inhibit fungus, mold and mildew spores, resulting in a more hygienic environment. ZONE has been tested to ASTM G21 Resistance of Synthetic Polymeric Materials to Fungi.
- · Waterproof + Water Resistant
- Easy to Clean + Bleach Cleanable: Easily cleaned with mild soap and water. Can be easily disinfected using one part bleach and ten parts water
- Abrasion Resistance
- Excellent Strength: Knitted fabric backing provides excellent tear and seam strength, with excellent stretch and tailoring properties
- Superior Lightfastness: Achieves > 500 hours light fastness

GREEN STAR

- ZONE can be used on white furniture certified to Ecospecifier, AFRDI, ECNZ and GECA
- The Green Star Rating Tool states "Where at least 90% of an item's mass is certified to a GBCA recognized standard, the item can be entered as a certified product at Level A, B or C." Therefore any fabric can be used as fabrics are almost always under 10% by weight of a furniture item

WELL

 ZONE can contribute to WELL Toxic Material Reduction criterion as it is free of PFCs, flame retardants, phthalates and urea formaldehyde

ENVIRONMENT

- ISO 14001 Environmental Management System (EMS)
- No FR Additives
- No Conflict Minerals
- Red List Compliant









